



x 13 x



Professional State State



Ann. confit rank from \$ 5 miles for \$ 10 miles



| | | * | 300 | |
|-----|---|--|---|------------------------|
| · | | 30% 308 | ✓ | |
| | BOM Assist | | | |
| | cie de la Geratie Link e Hélp | | | |
| 304 | | | | |
| 302 | | Enterprise | BOM Assist | |
| SOL | | | | |
| | Represente umendicione conscione co | itok Check AVII Report | | |
| | | A THE DESIGNATION OF THE PROPERTY OF THE PROPE | GM: " Supple Name in the control of | Supple 1 |
| | 12-10000062-17986: (2012-1000) | | 11 XYZ INC | 3362P-1-212 |
| | 2 0000007LINT RAW CARD | | 1 812 1440, 11 11 244, 254, 40 | 3302[3] 2.72 |
| | 3 0000098FA9N RES OTH 1K | OHM 1 % | 2 | |
| | RES FIL 47 0 | 00 O + 5 0 | 5 ABC INDUSTRIAL CO | ERJ8GEYJ543 |
| | 5 | | Q CORP. | Y I R18EZHMJ |
| | 6 | | COMPONENTS | 1118 00007H0 |
| | 8 0000040HO2Z VOLTRE MO | DIN C | . @ CORP 1 Z_ ELECTRONICS CORP | РQ Co.15 |
| | 9 0000020Hz 19 CAP TAN 330 | | 1 R ELECTRONICS | 123X337M00 |
| | 10 | 000 01 10. | O.CORP | TP10337M006 |
| | 11 0000041FXIO CAP CER 0 0 | 10 UF + 20. | 1 Q CORP. | D841TN03MAT |
| | 12 | | DEF MANUFACTURING CO LTD. | A2C40X7R103 |
| | | Barrier Ward Track | L SIECTRONICS | COBOSC 102MS |
| | | | | |
| | Micerophysical Michigan | | C. College St. 10 St. St. St. St. St. | |
| | | | | |
| | | | | |
| | THE REPORT OF THE PROPERTY OF | 被 是在大时间,但是1000年 | | |
| | 日本語を対象には、「一」という。 | 等であっていた。そのではこのでは成功を「は、A. だっていこ | 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1 | いたかった。またなから特別は自然のできょう。 |

Fig. 3

| 自 | Ε | OM. | Assi | st | | | | | | 阿 園 図 |
|------|--------------|------------|--------|--------|--|-------------------------|----------------------|--|---|--|
| Ī | e | Edit | Ď | rofile | Link | Hel | p | · · · · · · · · · · · · · · · · · · · | | |
| 1 .9 | T. | | | | garira Grae | | | | | |
| | | | | | et de la company | 1 | | interprise BOM Assist | | |
| tr. | | | | | and the same of th | 1 | 《集神》 | | | |
| | Use | Profi | le li | port | Profile im | port Fi | le Out Record AVL Re | port | | |
| .: [| 10.5 | | 1 | | 7, 6 | ٠, | A STATE OF STATES OF | Spring to the Control of the Control | K904122kda: | LANCE LANCE REPORT |
| | 料 | #." 133 | Mal: | Life: | Lead T.: | DUP | | Description Description Description | Leaf Class | Mess H |
| | >:\- | 154 | 片 | H | 56 | 片 | | TC74VHC05 SOIC | Gates | PART IS PREFERED |
| | 55 F | 155 | Ť | ī | 56 | T | | SN74AHC02DR_80IC | Gates | PART IS PREFERED |
| | | 158 | | | 70 | | 000006480470 | ALS245_SOIC | Transceivers/Registers | PART IS PREFERED |
| 141 | 1 | 157 | | | 35 | | 0000068X2724 | F86_SOIC | Gates | PART IS PREFERED |
| | <u>}</u> | 158 | | | 42 | | 0000071F7388 | ALS125_SOIC | Buffers/Line Drivers | WARNING Duplicate pa |
| | | 159 | | | 0 | | | | I/O Connectors | PART IS PREFERED II |
| | | 160 | | | 56 | | | ABT245_SSOP | Transcewers/Registers | PARTIS PREFERED |
| | ¥. | 161 | | N | 182 | | | PARTTYPE= <linears specials=""> PCF8574T</linears> | VO Expandor | PART IS PREFERED |
| | | 162 | | | 1 | | | | I/O Connectors | PART IS PREFERED |
| | 80 | 2 | V | | 0 | | | HALO_TG118_S141N2 | | DO NOT USE - NOT FO |
| 3 3 | | 5 | V | | 0 | | | PARTTYPE= <linears specials="">DS32KHZ</linears> | | DO NOT USE - NOT FOR |
| | | 112 | V | | 0 | | | PARTTYPE= <connectors>ZBUS</connectors> | | DO NOT USE - NOT FO |
| | | (22 | | | | | | | · 公司 1000 100 100 100 100 100 100 100 100 1 | |
| | á | FOI | DATE | 1 | 12/31/200 |) [| | COLUMN TO THE PARTY OF THE PART | ressi | |
| | | - | بحويات | | 01/04/200 | 9 0909869 7-4 | Generate at | inserti Del ete | | and the same of th |
| | ŝ | GA | DATE | | 017047200 |)) | دا استسلال | | | |
| | <u> 3,7,</u> | H | | 100 | | 17:- | | TO THE STATE OF TH | | |
| | i i | | | | 100 | | | | | |

Fis 4

F/G" \

| Assembly Name | | Assembly PM 00000 | 10F1 | | | dom |
|--|--|--|-------------|--|---|-------------|
| | - 10-23 - 1-10 (- 10-10) | Submit Date 4/17/2 | onn s | | Get Re | |
| | Test PROMINGRADIST FROM SOME NO. 1920 | | UOU : | A Library Town St. Co. | * oenge | MICH |
| | Test GA pate 106/10/2000 | | | | | |
| | TOTAL STATE OF THE | | APPLY. | PROBABILITY OF STATE | 电对于型门 | 1. 31yb |
| Prod-Name | 8210tst | S THE PERSON OF THE PERSON TO THE PERSON OF | - Inch | THE RESERVE AND THE PARTY OF TH | THE REPORTED | T 7.75E |
| Prod. Desc | TEST | 2), Terror, Lies > , ethoral et, la-ciffe yes deline le la service de la company de la | USS MAT 1/2 | STORESTON STATE OF THE STATE OF | (3) to be a company | C. P. Servi |
| 医唇管性 "我们到 | the state of the state of the state of the | 図は、2002年で、西海の原門 | 計劃的 | Na de la companya de | And Abilia | e; 🔯 |
| Engineer | WSmith、数据、数据、数 | Tech Contact | | | | |
| Addition to the control of | | T.C. Phone | 研)則否 | | a Sing | 4 |
| Engineer Phone | 5557555-\$55\$ | | গে ভাল | a ringrous and Alberta | a e e e e e e e e e e e e e e e e e e e | ्य स्ट |
| Engineer Email | wis mental from | T.C.Email | | 40 steps Volumental in Principal | PPLAT- NO | |
| | Anytoura to a file | The state of the s | - V2C-1 | y valle less to be seen | SECT. | - 7 |
| Engineer Loc. | Anytouana wa the A B | T.C. Location | | The same of the same of | | |
| Part# | Description 4 | Leaf Class | Pr. | . Suppliet Par | 13 V | 4 |
| 0000005K2414 | 0000005K2414 | Gates | _ | Gates | للاخستست | Gate |
| 0000001K2383 | 0000001K2383 | Capacitor Aluminum | lc., | Capacitor Aluminus | m | Cap |
| 0000038L3405 | 0000038L3405 | Clock Generator | CI. | . Clock Generator | | Cloc |
| 000000864968 | 0000008G4968 | Resistors | R | Resistors | | Resi |
| 0000089G4188 | 0000089G4188 | Sockets | - | Sockets | | Soci |
| 0000084H8808 | 0000084H8808 | Filter(AOP) | | Filter(AOP) | | Filte |
| 0000089G4188 | 0000089G4188 | Sockets | | | | Soci |
| 0000038H0235 | 0000038H0235 | Capacitor Aluminum | | Capacitor Aluminus | m | Cap |
| 0000029L1908 | 0000029L1908 | MOSFET | M | | | MOS |
| 0000010H6188 | 0000010H6188 | Filter(AOP) | | | | Filter |
| 0000004N8667 | 0000004N8667 | VO Cannectors | V | VO Connectors | | 1/O C |
| 000000969194 | 000000969194 | Resistors | R | Resistors | | Resi |
| 0000071F7679 | 0000071F7679 | Resistors | R. | Resistors | | Resi |
| חחמחים עמבר | 000000011056 | | - | منسيب مستوالم | | CO. |
| | | | 建 | | 国际经验 | 2 |
| STIMBLE | EXPORTING SUBMIT TO LEG | M TOTAL SECTION | | 1,10 | | |
| MACHINE TOWN | 1 1 1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 | | | | Carrier o | - 4 |
| | | | | The state of the s | | - |
| - N. G. C. | <u> </u> | The state of the s | | 3-95 to 50 t | 131m | |

F16. 6

The street was a second second